Journal of Applied Microbiology

Edited by

A. F. Godfree

Volume 94, 2003

Copyright © 2003 by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

ISSN 1364-5072

Published by
Blackwell Publishing Ltd
OXFORD EDINBURGH BOSTON
MELBOURNE BERLIN VIENNA

Printed in Great Britain

Contents

Volume 94, Issue 1, January 2003

1 Editorial

3 Instruction for Authors

9 Efficacy of antimicrobial filter treatments on microbial colonization of air panel filters *M.C. Verdenelli, C. Cecchini, C. Orpianesi, G.M. Dadea & A. Cresci*

16 The incidence of antimicrobial-resistant *Salmonella* spp. on freshly processed poultry from US Midwestern processing plants *C.M. Logue, J.S. Sherwood, P.A. Olah, L.M. Elijah & M.R. Dockter*

25 Identification of aerobic mesophilic bacilli isolated from board and paper products containing recycled fibres *M.-L. Suihko & E. Stackebrandt*

35 Using event trees to quantify pathogen levels on root crops from land application of treated sewage sludge *P. Gale*

48 Cold and carbon dioxide used as multi-hurdle preservation do not induce appearance of viable but non-culturable *Listeria monocytogenes J. Li, G.L. Kolling, K.R. Matthews & M.L. Chikindas*

54 Low pressure ultraviolet studies for inactivation of *Giardia muris* cysts *S.L. Hayes, E.W. Rice, M.W. Ware & F.W. Schaefer III*

60 Properties of *Bacillus thuringiensis* isolated from bank voles *I. Święcicka & P. De Vos*

65 Comparison of phenotypic and genotypic markers for characterization of an outbreak of *Salmonella* serotype Havana in captive raptors *M.P. Reche, M.A. Echeita, J.E. García de los Rios, M.A. Usera, P.A. Jiménez, A.M. Rojas, J. Colás & I. Rodriguez*

73 Effect of subtherapeutic concentrations of tylosin on the inhibitory stringency of a mixed anaerobe continuous-flow culture of chicken microflora against *Escherichia coli* O157:H7 *T.L. Poole, K.J. Genovese, K.D. Knape, T.R. Callaway, K.M. Bischoff & D.J. Nisbet*

80 Identification of lactic acid bacteria from spoilage associations of cooked and brined shrimps stored under modified atmosphere between 0°C and 25°C *P. Dalgaard, M. Vancanneyt, N. Euras Vilalta, J. Swings, P. Fruekilde & J.J. Leisner*

90 Detection and recovery of sublethally-injured enterotoxigenic *Staphylococcus aureus M.K. Sandel, Y.-F.G. Wu & J.L. McKillip*

95 Cell–cell interactions influence resistance and survival of *Salmonella* serotype Typhimurium to environmental stress *J.D. Taylor-Robinson, M. Child, R. Pickup, P. Strike & C. Edwards*

103 Variability and functional role of chromosomal sequences in 16SrI-B subgroup phytoplasmas including aster yellows and related strains *S. Botti & A. Bertaccini*

111 Resistance to quinolones in *Campylobacter jejuni* and *Campylobacter coli* from Danish broilers at farm level *K. Pedersen & A. Wedderkopp*

120 Optimization of submerged culture process for the production of mycelial biomass and exo-polysaccharides by *Cordyceps militaris* C738 *S.-W. Kim, H.-J. Hwang, C.-P. Xu, J.-M. Sung, J.-W. Choi & J.-W. Yun*

127 Microbiological aspects of biowaste during composting in a monitored compost bin *J. Ryckeboer, J. Mergaert, J. Coosemans, K. Deprins & J. Swings*

138 Conjugated linoleic acid biosynthesis by human-derived *Bifidobacterium* species *M. Coakley, R.P. Ross, M. Nordgren, G. Fitzgerald, R. Devery & C. Stanton*

146 Modelling the combined effect of temperature, pH and a_w on the growth rate of *Monascus ruber*, a heat-resistant fungus isolated from green table olives *E.Z. Panagou, P.N. Skandamis & G.-J.E. Nychas*

157 Erratum

158 Erratum

Volume 94, Issue 2, February 2003

159 An antifungal compound produced by *Bacillus subtilis* YM 10–20 inhibits germination of *Penicillium roqueforti* conidiospores *G.S. Chitarra, P. Breeuwer, M.J.R. Nout, A.C. van Aelst, F.M. Rombouts & T. Abee*

167 Influence of phenolic acids on growth and inactivation of *Oenococcus oeni* and *Lactobacillus hilgardii F.M. Campos, J.A. Couto & T.A. Hogg*

175 UDP-galactose 4-epimerase: a key enzyme in exopolysaccharide formation by *Lactobacillus casei* CRL 87 in controlled pH batch cultures *F. Mozzi, G. Savoy de Giori & G. Font de Valdez*

184 The effect of acid shock on sporulating *Bacillus subtilis* cells *J.K. Lee, S. Movahedi, S.E. Harding & W.M. Waites*

191 Investigation of *Salmonella* contamination and disinfection in farm egg-packing plants *R.H. Davies & M. Breslin*

197 Employment of broad-range 16S rRNA PCR to detect aetiological agents of infection from clinical specimens in patients with acute meningitis – rapid separation of 16S rRNA PCR amplicons without the need for cloning *J. Xu, B.C. Millar, J.E. Moore, K. Murphy, H. Webb, A.J. Fox, M. Cafferkey & M.J. Crowe*

207 Effects of the antibiotic ionophores monensin, lasalocid, laidlomycin propionate and bambermycin on *Salmonella* and *E. coli* O157:H7 *in vitro* *T.S. Edrington, T.R. Callaway, P.D. Varey, Y.S. Jung, K.M. Bischoff, R.O. Elder, R.C. Anderson, E. Kutter, A.D. Brabban & D.J. Nisbet*

214 Isolation and biochemical characterisation of enterocins produced by enterococci from different sources *M.R. Foulquié Moreno, R. Callewaert, B. Devreese, J. Van Beeumen & L. De Vuyst*

230 Degradation of straight-chain aliphatic and high-molecular-weight polycyclic aromatic hydrocarbons by a strain of *Mycobacterium austroafricanum* *B.W. Bogan, L.M. Lahner, W.R. Sullivan & J.R. Paterek*

240 Activity and mechanisms of action of selected biocidal agents on Gram-positive and -negative bacteria *S.E. Walsh, J.-Y. Maillard, A.D. Russell, C.E. Catrenich, D.L. Charbonneau & R.G. Bartolo*

248 Response of bacterial community during bioremediation of an oil-polluted soil *M. Zucchi, L. Angiolini, S. Borin, L. Brusetti, N. Dietrich, C. Gigliotti, P. Barbieri, C. Sorlini & D. Daffonchio*

258 Mechanisms underlying the toxicity of lactone aroma compounds towards the producing yeast cells *M. Aguedo, L. Beney, Y. Waché & J.-M. Belin*

266 Degradation of benzyldimethylalkylammonium chloride by *Aeromonas hydrophila* sp. K. *M.A. Patrauchan & P.J. Oriel*

273 Development of an immunomagnetic separation-polymerase chain reaction (IMS-PCR) assay specific for *Enterocytozoon bieneusi* in water samples *N. Sorel, E. Guillot, M. Thellier, I. Accoceberry, A. Datry, L. Mesnard-Rouiller & M. Miégeville*

280 The response of *Leuconostoc mesenteroides* to low external oxidoreduction potential generated by hydrogen gas *G. Bourel, S. Henini, C. Divies & D. Garmyn*

289 Antibiotic resistance and genotyping of clinical group B *Salmonella* isolated in Accra, Ghana *F. Mills-Robertson, S.S. Crupper, M.E. Addy & P. Mensah*

295 Diversity of moderately halophilic bacteria producing extracellular hydrolytic enzymes *C. Sánchez-Porro, S. Martín, E. Mellado & A. Ventosa*

301 Initial characterization of new bacteria degrading high-molecular weight polycyclic aromatic hydrocarbons isolated from a 2-year enrichment in a two-liquid-phase culture system *E. Gauthier, E. Déziel, R. Villemur, P. Juteau, F. Lépine & R. Beaudet*

312 Raw potato starch and short-chain fructo-oligosaccharides affect the composition and metabolic activity of rat intestinal microbiota differently depending on the caecocolonic segment involved *G.M. Le Blay, C.D. Michel, H.M. Blottière & C.J. Cherbut*

321 Discrimination of *Staphylococcus aureus* biotypes by pulsed-field gel electrophoresis of DNA macro-restriction fragments *J.A. Hennekinne, A. Kerouanton, A. Brisabois & M.L. De Buyser*

330 Liquid formulation of the biocontrol agent *Candida sake* by modifying water activity or adding protectants *R. Torres, J. Usall, N. Teixidó, M. Abadias & I. Viñas*

340 The pathogenicity of strains of *Salmonella paratyphi* B and *Salmonella java* *H. Chart*

Volume 94, Issue 3, March 2003

349 Fermentative activity and production of volatile compounds by *Saccharomyces* grown in synthetic grape juice media deficient in assimilable nitrogen and/or pantothenic acid *X.D. Wang, J.C. Bohlscheid & C.G. Edwards*

360 Stimulation of ligninolytic enzyme production in *Phanerochaete chrysosporium* by polyoxyalkanes *I. Grgič & A. Perdih*

369 Identification of polyhydroxyalkanoate (PHA)-producing *Bacillus* spp. using the polymerase chain reaction (PCR) *T.R. Shamala, A. Chandrashekar, S.V.N. Vijayendra & L. Kshama*

375 Expression of a *Bacillus thuringiensis* δ-endotoxin *cry1Ab* gene in *Bacillus subtilis* and *Bacillus licheniformis* strains that naturally colonize the phylloplane of tomato plants (*Lycopersicon esculentum*, Mills) *C. Theoduloz, A. Vega, M. Salazar, E. González & L. Meza-Basso*

382 Evaluation of a DNA probe test kit for detection of Salmonellae in biosolids *M.C. Meckes & J.A. MacDonald*

388 Properties of polysaccharide produced by *Azotobacter vinelandii* cultured on 4-hydroxybenzoic acid *M.C. Vargas-Garcia, M.J. Lopez, M.A. Elorrieta, F. Suarez & J. Moreno*

396 Degradation of proteins during the fermentation of African locust bean (*Parkia biglobosa*) by strains of *Bacillus subtilis* and *Bacillus pumilus* for production of Soumbala *L.I.I. Ouoba, K.B. Rechinger, V. Barkholt, B. Diawara, A.S. Traore & M. Jakobsen*

403 Characterization of intestinal lactobacilli as putative probiotic candidates *H. Annuk, J. Shchepetova, T. Kullisaar, E. Songisepp, M. Zilmer & M. Mikelsaar*

413 Comparison of adhesion of wound isolates of *Staphylococcus aureus* to immobilized proteins *I. Elgalai & H.A. Foster*

421 Detection and quantification of *Escherichia coli* O157:H7 in environmental samples by real-time PCR *A.M. Ibekwe & C.M. Grieve*

432 Transcription profile of brewery yeast under fermentation conditions *T.C. James, S. Campbell, D. Donnelly & U. Bond*

449 Probiotic properties of human lactobacilli strains to be used in the gastrointestinal tract *M.F. Fernández, S. Boris & C. Barbés*

456 Moderation of oral bacterial adhesion on saliva-coated hydroxyapatite by polyaspartate *Y.H. Guan, D.L. Lath, T. de Graaf, T.H. Lilley & A.H. Brook*

462 Volatile compounds produced by *Lactobacillus fermentum*, *Saccharomyces cerevisiae* and *Candida krusei* in single starter culture fermentations of Ghanaian maize dough *N.T. Annan, L. Poll, S. Sefa-Dedeh, W.A. Plahar & M. Jakobsen*

475 Temperature effect on *Fusarium oxysporum* f.sp. *melonis* survival during horticultural waste composting *F. Suárez-Estrella, M.C. Vargas-García, M.A. Elorrieta, M.J. López & J. Moreno*

483 Image analysis method for evaluation of specific and non-specific hand contamination *T.B. Hansen & S. Knochel*

495 Antimicrobial resistance and genomic screening of clinical isolates of thermophilic *Campylobacter* spp. from south-east Queensland, Australia *D.A. Alfredson, R.J. Akhurst & V. Korolik*

501 The influence of the chemical composition of drinking water on cuprosolvency by biofilm bacteria *M.M. Critchley, N.J. Cromar, N.C. McClure & H.J. Fallowfield*

508 Drying of *Epicoccum nigrum* conidia for obtaining a shelf-stable biological product against brown rot disease *I. Larena, A. De Cal, M. Liñán & P. Melgarejo*

515 PCR detection of psychrophilic *Clostridium* spp. causing 'blown pack' spoilage of vacuum-packed chilled meats *D.M. Broda, J.A. Boerema & R.G. Bell*

523 Partial characterization of bacteriocins produced by environmental strain *Enterococcus faecium* EK13 *M. Mareková, A. Lauková, L. DeVuyst, M. Skaugen & I.F. Nes*

531 Solar inactivation of mesophilic *Aeromonas* by exogenous photooxidation in high-rate algal pond treating waste water *S. Benchokroun, B. Imziln & L. Hassani*

Volume 94, Issue 4, April 2003

539 New frontiers in biological halogenation *C.D. Murphy*

549 Effect of water activity and temperature on germination and growth of *Penicillium digitatum*, *P. italicum* and *Geotrichum candidum* *P. Plaza, J. Usall, N. Teixidó & I. Viñas*

555 The adaptive response of *Escherichia coli* O157 in an environment with changing pH *R. de Jonge, K. Takumi, W.S. Ritmeester & F.M. van Leusden*

561 Autolytic activity and pediocin-induced lysis in *Pediococcus acidilactici* and *Pediococcus pentosaceus* strains *D. Mora, F. Musacchio, M.G. Fortina, L. Senini & P.L. Manachini*

571 Modelling and optimization of inactivation of *Lactobacillus plantarum* by pulsed electric field treatment *F. Abram, J.P.P.M. Smelt, R. Bos & P.C. Wouters*

580 Improved methods of cultivation and production of deuteriated proteins from *E. coli* strains grown on fully deuteriated minimal medium *O. Paliy, D. Bloor, D. Brockwell, P. Gilbert & J. Barber*

587 Development of a 5′-nuclease PCR assay for detecting Shiga toxin-producing *Escherichia coli* O145 based on the identification of an 'O-island 29' homologue *S. Perelle, F. Dilasser, J. Grout & P. Fach*

595 Genotypic and phenotypic characterization of the dynamics of the lactic acid bacterial population of adjunct-containing Cheddar cheese manufactured from raw and microfiltered pasteurised milk *A. Dasen, F. Berthier, R. Grappin, A.G. Williams & J. Banks*

608 Effects of carbon substrate enrichment and DOC concentration on biodegradation of PAHs in soil *G. Bengtsson & P. Zerhouni*

618 Overproduction of laccase by a monokaryotic strain of *Pycnoporus cinnabarinus* using ethanol as inducer *A. Lomascolo, E. Record, I. Herpoël-Gimbert, M. Delattre, J.L. Robert, J. Georis, T. Dauvrin, J.-C. Sigoillot & M. Asther*

625 Adaptive responses of *Salmonella enterica* serovar Typhimurium DT104 and other *S.* Typhimurium strains and *Escherichia coli* O157 to low pH environments *R. de Jonge, W.S. Ritmeester & F.M. van Leusden*

633 Molecular epidemiological survey of *Listeria monocytogenes* in broilers and poultry products *L.M. Rørvik, B. Aase, T. Alvestad & D.A. Caugant*

641 Characterization of sourdough lactic acid bacteria based on genotypic and cell-wall protein analyses *A. Corsetti, M. De Angelis, F. Dellaglio, A. Paparella, P.F. Fox, L. Settanni & M. Gobbetti*

655 Growth and molecular characterization of dental plaque microcosms *A.J. McBain, R.G. Bartolo, C.E. Catrenich, D. Charbonneau, R.G. Ledder & P. Gilbert*

665 Antifungal activity of essential oils evaluated by two different application techniques against rye bread spoilage fungi *K.I. Suhr & P.V. Nielsen*

675 Utilization of carbonate and ammonia-based treatments to eliminate *Escherichia coli* O157:H7 and *Salmonella* Typhimurium DT104 from cattle manure *G.W. Park & F. Diez-Gonzalez*

686 Mutations in the genes for synthesis of the outer core region of the lipopolysaccharide of *Yersinia enterocolitica* O:3 *D.M. Sirisena & M. Skurnik*

693 The prevalence of *Salmonella* spp. in bovine faecal, rumen and carcass samples at a commercial abattoir *J.M. McEvoy, A.M. Doherty, J.J. Sheridan, I.S. Blair & D.A. McDowell*

701 Aerotolerance of human clinical isolates of *Prevotella* spp. *V.L. Silva, M.A.R. Carvalho, J.R. Nicoli & L.M. Farias*

708 Production and molecular characteristics of four groups of exopolysaccharides from submerged culture of *Phellinus gilvus H.J. Hwang, S.W. Kim, C.P. Xu, J.W. Choi & J.W. Yun*

720 Subtyping *Listeria monocytogenes* through the combined analyses of genotype and expression of the *hlyA* virulence determinant *K. Rudi, H.K. Nogva, K. Naterstad, S.M. Dromtorp, S. Bredholt & A. Holck*

733 Microbiological examination of ready-to-eat stuffing from retail premises in the north-east of England. The 'Get Stuffed' survey *I.R. Richardson & A.M. Stevens*

738 Molecular characterization of *Oenococcus œni* genes encoding proteins involved in arginine transport *B. Divol, T. Tonon, S. Morichon, E. Gindreau & A. Lonvaud-Funel*

747 Theory of antimicrobial combinations: biocide mixtures – synergy or addition? *R.J.W. Lambert, M.D. Johnston, G.W. Hanlon & S.P. Denyer*

Volume 94, Issue 5, May 2003

761 Non-conventional methods for the control of post-harvest pear diseases *M. Mari, P. Bertolini & G.C. Pratella*

767 From tooth to hoof: treponemes in tissue-destructive diseases *A.M. Edwards, D. Dymock & H.F. Jenkinson*

781 Molecular methods for *Mycobacterium tuberculosis* strain typing: a users guide *E. Kanduma, T.D. McHugh & S.H. Gillespie*

792 Carbon source utilization profiles as a method to identify sources of faecal pollution in water *C. Hagedorn, J.B. Crozier, K.A. Mentz, A.M. Booth, A.K. Graves, N.J. Nelson & R.B. Reneau Jr*

800 Accumulation of 1,2-propanediol and enhancement of aerobic stability in whole crop maize silage inoculated with *Lactobacillus buchneri N. Nishino, M. Yoshida, H. Shiota & E. Sakaguchi*

808 Occurrence and densities of bacteriophages proposed as indicators and bacterial indicators in river waters from Europe and South America *F. Lucena, X. Méndez, A. Morón, E. Calderón, C. Campos, A. Guerrero, M. Cárdenas, C. Gantzer, L. Shwartzbrood, S. Skraber & J. Jofre*

816 Study of temperature–growth interactions of entomopathogenic fungi with potential for control of *Varroa destructor* (Acari: Mesostigmata) using a nonlinear model of poikilotherm development *G. Davidson, K. Phelps, K.D. Sunderland, J.K. Pell, B.V. Ball, K.E. Shaw & D. Chandler*

826 Cross-contamination with *Salmonella* on a broiler slaughterhouse line demonstrated by use of epidemiological markers *J.E. Olsen, D.J. Brown, M. Madsen & M. Bisgaard*

836 Mechanism of the inactivation of bacterial spores by reciprocal pressurization treatment *S. Furukawa, M. Shimoda & I. Hayakawa*

842 The microbiological quality of washing-up water and the environment in domestic and commercial kitchens *K. Mattick, K. Durham, M. Hendrix, J. Slader, C. Griffith, M. Sen & T. Humphrey*

849 Dynamics of living and dead bacterial cells within a mixed-species biofilm during toluene degradation in a biotrickling filter *O. Tresse, S. Lescob & D. Rho*

856 Characterization and *in vitro* expression patterns of an exopolygalacturonase encoding gene from *Fusarium oxysporum* f.sp. *radicis lycopersici A. de las Heras, B. Patiño, M.L. Posada, M.J. Martínez, C. Vázquez & M.T. González Jaén*

865 Abundance and characteristics of the recreational water quality indicator bacteria *Escherichia coli* and enterococci in gull faeces *L.R. Fogarty, S.K. Haack, M.J. Wolcott & R.L. Whitman*

879 Detection of *Listeria monocytogenes* in Italian-style soft cheeses *C. Longhi, A. Maffeo, M. Penta, G. Petrone, L. Seganti & M.P. Conte*

886 Survival of *Campylobacter jejuni* strains of different origin in drinking water *I. Cools, M. Uyttendaele, C. Caro, E. D'Haese, H.J. Nelis & J. Debevere*

893 Antifungal activity of volatile compounds generated by essential oils against fungi commonly causing deterioration of bakery products *M.E. Guynot, A.J. Ramos, L. Setó, P. Purroy, V. Sanchis & S. Marín*

900 Charged casein-derived oligopeptides competitively inhibit the transport of a reporter oligopeptide by *Lactococcus lactis S. Helinck, P. Charbonnel, C. Foucaud-Scheunemann, J.-C. Piard & V. Juillard*

908 Molecular cloning, sequencing and characterization of *omp48*, the gene encoding for an antigenic outer membrane protein from *Aeromonas veronii R.C. Vázquez-Juárez, H.A. Barrera-Saldaña, N.Y. Hernández-Saavedra, M. Gómez-Chiarri & F. Ascencio*

919 Laboratory heating studies with *Salmonella* spp. and *Escherichia coli* in organic matter, with a view to decontamination of poultry houses *K.O. Gradel, J.Chr. Jørgensen, J.S. Andersen & J.E.L. Corry*

929 Evaluation of PCR for detection of *Campylobacter* in a national broiler surveillance programme in Denmark *M. Lund, A. Wedderkopp, M. Wainø, S. Nordentoft, D.D. Bang, K. Pedersen & M. Madsen*

936 Specific detection of *Pseudomonas* spp. in milk by fluorescence *in situ* hybridization using ribosomal RNA directed probes *T.S. Gunasekera, M.R. Dorsch, M.B. Slade & D.A. Veal*

Volume 94, Issue 6, June 2003

947 Effect of various growth media upon survival during storage of freeze-dried *Enterococcus faecalis* and *Enterococcus durans A.S. Carvalho, J. Silva, P. Ho, P. Teixeira, F.X. Malcata & P. Gibbs*

953 Metal ion enhancement of fungal growth, gene expression and aflatoxin synthesis in *Aspergillus flavus*: RT-PCR characterization *R. Cuero, T. Ouellet, J. Yu & N. Mogongwa*

962 Modelling faecal indicator concentrations in large rural catchments using land use and topographic data *J. Crowther, M.D. Wyer, M. Bradford, D. Kay & C.A. Francis*

974 Differential protein phosphorylation–dephosphorylation in response to carbon source in *Ruminococcus flavefaciens* FD-1 *P.E. Vercoe, S.A. Kocherginskaya & B.A. White*

981 Adhesion and aggregation ability of probiotic strain *Lactobacillus acidophilus* M92 *B. Kos, J. Šušković, S. Vuković, M. Šimpraga, J. Frece & S. Matošić*

988 Comparison of rapid methods for the extraction of bacterial DNA from colonic and caecal lumen contents of the pig *K.L. Anderson & S. Lebepe-Mazur*

994 Comparison of enterococcal populations related to urban and hospital wastewater in various climatic and geographic European regions *A.R. Blanch, J.L. Caplin, A. Iversen, I. Kühn, A. Manero, H.D. Taylor & X. Vilanova*

1003 PCR detection of seven virulence and toxin genes of *Campylobacter jejuni* and *Campylobacter coli* isolates from Danish pigs and cattle and cytolethal distending toxin production of the isolates *D.D. Bang, E. Møller Nielsen, F. Scheutz, K. Pedersen, K. Handberg & M. Madsen*

1015 Membrane damage to bacteria caused by single and combined biocides *M.D. Johnston, G.W. Hanlon, S.P. Denyer & R.J.W. Lambert*

1024 Molecular fingerprinting evidence of the contribution of wildlife vectors in the maintenance of *Salmonella* Enteritidis infection in layer farms *E. Liebana, L. Garcia-Migura, C. Clouting, F.A. Clifton-Hadley, M. Breslin & R.H. Davies*

1030 Co-operative actions and degradation analysis of purified xylan-degrading enzymes from *Thermomonospora fusca* BD25 on oat-spelt xylan *M. Tuncer & A.S. Ball*

1036 Decontamination of pork carcasses during scalding and the prevention of *Salmonella* cross-contamination *D.J. Bolton, R. Pearce, J.J. Sheridan, D.A. McDowell & I.S. Blair*

1043 Atrazine catabolism by a combined bacterial association (KRA30) under carbon- and nitrogen-limitations in a retentostat *T.K. Ralebitso-Senior, C. Costa, W.F.M. Röling, M. Braster, E. Senior & H.W. van Verseveld*

1052 Correlation between bacterial haemoglobin gene (*vgb*) and aeration: their effect on the growth and α-amylase activity in transformed *Enterobacter aerogenes K. Khleifat & M.M. Abboud*

1059 Starch in plasterboard sustains *Streptomyces californicus* growth and bioactivity of spores *T. Murtoniemi, M.M. Keinänen, A. Nevalainen & M.-R. Hirvonen*

1066 The survival of silage inoculant lactic acid bacteria in rumen fluid *Z.G. Weinberg, R.E. Muck & P.J. Weimer*

1072 Factors associated with the adherence and biofilm formation by *Aeromonas caviae* on glass surfaces *M. Béchet & R. Blondeau*

1079 Taxonomic positioning of two biological control agents for plant diseases as *Lysobacter enzymogenes* based on phylogenetic analysis of 16S rDNA, fatty acid composition and phenotypic characteristics *R.F. Sullivan, M.A. Holtman, G.J. Zylstra, J.F. White Jr & D.Y. Kobayashi*

1087 Influence of tetracycline exposure on tetracycline resistance and the carriage of tetracycline resistance genes within commensal *Escherichia coli* populations *D.P. Blake, R.W. Humphry, K.P. Scott, K. Hillman, D.R. Fenlon & J.C. Low*

1098 Phenotypic and genotypic characterization of competitive exclusion products for use in poultry *R.D. Wagner, D.D. Paine & C.E. Cerniglia*

1108 Genetic relationship in the '*Bacillus cereus* group' by rep-PCR fingerprinting and sequencing of a *Bacillus anthracis*-specific rep-PCR fragment *A. Cherif, L. Brusetti, S. Borin, A. Rizzi, A. Boudabous, H. Khyami-Horani & D. Daffonchio*

1120 Purification and characterization of a membrane glycoprotein from the fish pathogen *Flavobacterium psychrophilum C. Merle, D. Faure, M.-C. Urdaci & M. Le Hénaff*

1128 Index